

DELPHION

Log Out | Work Files | Saved Searches

RESEARCH

My Account

PROFILES

INNOVATION

Search: Quick/Number Boolean Advanced Derwent Help

No active trail

Select DR

Stop Tracking

The Delphion Integrated View: INPADOC Record

Buy Now: ☒ PDF | File History | Other choices

Tools: Add to Work File: Create new Work File

Add

View: Jump to: Top Go to: Derwent ☒ Email this to a friend

Title: JP07502515T2:

Derwent Title: Stabilised compsn. of growth hormone contg. asparagine - for storing at room temp. for 1 month in lyophilised form and as soln. [Derwent Record]

Country: JP Japan

Kind: T2

Inventor: see Assignee

Assignee: None

Published / Filed: 1995-03-16 / 1992-12-16

Application Number: JP1992000511360T

IPC Code: Advanced: A61K 9/08; A61K 31/195; A61K 38/27; A61K 47/18; A61K 47/42; Core: A61K 31/185; A61K 47/16; more... IPC-7: A61K 9/08; A61K 31/195; A61K 38/27; A61K 47/42;

ECLA Code: None

Priority Number: 1992-12-16 WO1992DK0000378 1991-12-20 DK1991000002047

INPADOC Buy Now: Family Legal Status Report

Legal Status: None AT BE CH DE ES FR GB GR IE IT LI LU NL PT SE BG BR CA CS JP KP KR NZ OA PL RO RU UA Designated Country:

Family:

Buy PDF	Publication	Pub. Date	Filed	Assignee	Title
				NOVO	



High Resolution



	WO9312811A1	1993-07-08	1992-12-16	NORDISK A/S	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARGINE
	US5977069	1999-11-02	1992-01-28	Novo Nordisk A/S	Pharmaceutical formulation
	US5851992	1998-12-22	1995-06-06	Novo Nordisk A/S	Treatment of growth hormone deficiency
	SK0073794A3	1995-03-08	1992-12-16	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARGINE
	RU2098130C1	1997-12-10	1994-06-17	NOVO NORDISK AS	GROWTH HORMONE PHARMACEUTICAL PREPARATION AND ITS STABILIZING AGENT
	RO0112086B1	1997-05-30	1992-12-16	NOVO NORDISK AS	PREPARED PHARMACEUTICAL COMPOSITIONS WHICH CONTAIN RAISING HORMONES OR THEIR DERIVATE
	NZ0246555A	1996-03-26	1992-12-16	NOVO NORDISK AS	PHARMACEUTICAL COMPOSITION CONTAINING A GROWTH HORMONE AND ASPARGINE
	NO0942299A0	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabilisert, farmasøytisk preparat som omfatter veksthormon og asparagin
	NO0942299A	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabilisert, farmasøytisk preparat som omfatter veksthormon og asparagin
	KR0270726B1	2000-11-01	1994-06-20	NOVO NORDISK AS	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARGINE.
	JP07502515T2	1995-03-16	1992-12-16		
	JP03662580B2	2005-06-22	1992-12-16		
	HU9401831A0	1994-09-28	1992-12-16	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL FORMULATIONS COMPRISING GROWTH HORMONE AND ASPARGINE
	HU0069682A2	1995-09-28	1992-12-16	NOVO NORDISK AS	PROCESS FOR PRODUCING STABILIZED PHARMACEUTICAL FORMULATIONS COMPRISING GROWTH HORMONE AND ASPARGINE
	FI0942905A0	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabiloitu kasvu-hormonia ja asparagiinia sisältävä farmaseuttinen formulointi
	FI0942905A	1994-06-17	1994-06-17	NOVO NORDISK AS	Stabiloitu kasvu-hormonia ja asparagiinia sisältävä farmaseuttinen formulointi
	EP0618806B1	1999-03-17	1992-12-16	NOVO NORDISK A/S	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARGINE
	EP0618806A1	1994-10-12	1992-12-16	NOVO NORDISK A/S	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARGINE
	DK0204791A0	1991-12-20	1991-12-20	NOVO NORDISK AS	HIDTIL UKENDT FARMACEUTISK PRAEPARAT

<input checked="" type="checkbox"/>	DE69228704T2	1999-09-16	1992-12-16	NOVO NORDISK AS	STABILISIERTE PHARMAZEUTISCHE FORMULIERUNG, DIE WACHSTUMSHORMON UND ASPARAGIN ENTHÄLT
	DE69228704C0	1999-04-22	1992-12-16	NOVO NORDISK AS	STABILISIERTE PHARMAZEUTISCHE FORMULIERUNG, DIE WACHSTUMSHORMON UND ASPARAGIN ENTHÄLT
<input checked="" type="checkbox"/>	CZ9401458A3	1994-12-15	1992-12-16	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL PREPARATION CONTAINING GROWTH HORMONE AND ASPARAGIN, AND THE USE OF SUCH PHARMACEUTICAL PREPARATION
<input checked="" type="checkbox"/>	CZ0282826B6	1997-10-15	1992-12-16	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL PREPARATION CONTAINING GROWTH HORMONE AND ASPARAGIN, AND THE USE THEREOF
<input checked="" type="checkbox"/>	CA2125856AA	1993-07-08	1992-12-16	NOVO NORDISK AS	A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARAGINE
<input checked="" type="checkbox"/>	BG0098804A	1995-02-28	1994-05-30	NOVO NORDISK AS	STABILIZED PHARMACEUTICAL FORM CONTAINING GROWTH HORMONE AND ASPARAGIN
<input checked="" type="checkbox"/>	AU3344593A1	1993-07-28	1992-12-16	NOVO NORDISK AS	A stabilized pharmaceutical formulation comprising growth hormone and asparagine
<input checked="" type="checkbox"/>	AU0664416B2	1995-11-16	1992-12-16	NOVO NORDISK AS	A stabilized pharmaceutical formulation comprising growth hormone and asparagine
<input checked="" type="checkbox"/>	AT0177645E	1999-04-15	1992-12-16	NOVO NORDISK AS	STABILISIERTE PHARMAZEUTISCHE FORMULIERUNG, DIE WACHSTUMSHORMON UND ASPARAGIN ENTHÄLT
28 family members shown above					

Other Abstract Info:



CHEMABS 119(10)103376G DERABS C93-227056



Nominate this for the Gallery...

Copyright © 1997-2010 Thomson Reuters
[Subscriptions](#) | [Web Seminars](#) | [Privacy](#) | [Terms & Conditions](#) | [Site Map](#) | [Contact Us](#) | [Help](#)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : A61K 37/36	A1	(11) International Publication Number: WO 93/12811 (43) International Publication Date: 8 July 1993 (08.07.93)
(21) International Application Number: PCT/DK92/00378 (22) International Filing Date: 16 December 1992 (16.12.92) (30) Priority data: 2047/91 20 December 1991 (20.12.91) DK (71) Applicant: NOVO NORDISK A/S [DK/DK]; Novo Allé, DK-2880 Bagsvaerd (DK). (72) Inventor: SØRENSEN, Hans, Holmegaard ; Joachim Rønnowsvej 21, DK-2830 Virum (DK). (74) Agent: NOVO NORDISK A/S; Patent Department, Novo Allé, DK-2880 Bagsvaerd (DK).		(81) Designated States: AU, BG, BR, CA, CS, FI, HU, JP, KP, KR, NO, NZ, PL, RO, RU, UA, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: A STABILIZED PHARMACEUTICAL FORMULATION COMPRISING GROWTH HORMONE AND ASPARAGINE (57) Abstract A pharmaceutical preparation comprising a growth hormone and asparagine as additive or buffering substance shows a very high stability against deamidation, oxidation and cleavage of peptide bonds. The stability of the product allows for the storing and shipment thereof in a lyophilized state or in the form of a dissolved or re-dissolved preparation at ambient temperature.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SK	Slovak Republic
CI	Côte d'Ivoire	LJ	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	MC	Monaco	TG	Togo
DE	Germany	MG	Madagascar	UA	Ukraine
DK	Denmark	ML	Mali	US	United States of America
ES	Spain	MN	Mongolia	VN	Viet Nam
FI	Finland				

TITLE

A stabilized pharmaceutical formulation comprising growth hormone and asparagine.

FIELD OF THE INVENTION

The present invention relates to a stabilized pharmaceutical formulation comprising growth hormone, to a method of making such formulation, and the use of asparagine for stabilizing a formulation of growth hormone.

BACKGROUND OF THE INVENTION

The growth hormones from man and from the common domestic animals are proteins of approximately 191 amino acids, synthesized and secreted from the anterior lobe of the pituitary gland. Human growth hormone consists of 191 amino acids.

Growth hormone is a key hormone involved in the regulation of not only somatic growth, but also in the regulation of metabolism of proteins, carbohydrates and lipids. The major effect of growth hormone is to promote growth.

The organ systems affected by growth hormone include the skeleton, connective tissue, muscles, and viscera such as liver, intestine, and kidneys.

Until the development of the recombinant technology and the cloning of the growth hormone gene now giving rise to production of e.g. human growth hormone (hGH) and Met-hGH in industrial scale, human growth hormone could only be obtained by extraction from the pituitary glands of human cadavers. The very limited supplies of growth hormone restricted the use thereof to longitudinal growth promotion in childhood and puberty for treatment of dwarfism, even though it has been proposed for inter alia treatment of short stature (due to growth hormone deficiency, normal short stature and Turner

syndrom), growth hormone deficiency in adults, infertility, treatment of burns, wound healing, dystrophy, bone knitting, osteoporosis, diffuse gastric bleeding, and pseudoarthrosis.

Furthermore, growth hormone has been proposed for increasing
5 the rate of growth of domestic animals or for decreasing the proportion of fat in animals to be slaughtered for human consumption.

Pharmaceutical preparations of growth hormone tend to be unstable. Degradation products such as deamidated or sulfoxy-
10 dated products and dimer or polymer forms are generated - especially in solutions of growth hormone.

The predominant degradation reactions of hGH are 1) deamidation by direct hydrolysis or via a cyclic succinimide intermediate to form various amounts of L-asp-hGH, L-iso-asp-hGH,
15 D-asp-hGH, and D-iso-asp-hGH (ref 1-3), 2) oxidation of the methionine residues in positions 14 and 125 (ref 4-9), and 3) cleavage of peptide bonds.

Deamidation especially takes place at the Asn in position 149.

20 hGH is rather easily oxidized in positions 14 and 125, especially in solution (4-8).

The oxidation of hGH in solution forming sulfoxides is normally due to the oxygen dissolved in the preparation. The solubility of oxygen in distilled water is about 200 μM (9).
25 As the concentration of hGH in a preparation comprising 4 IU/ml is 1.3 mg/ml corresponding to 60nM hGH, oxygen will, at normal storing conditions, be present in an excess of about 3000 times the stoichiometric amount for oxidation of hGH. It is not feasible to try to solve the problem by degassing of
30 buffers before tapping and packing the preparations.

At present, it is not believed that these degradation products should have toxic or altered biological activity or receptor binding properties, but there is indication to the effect that the conformation stability of the sulfoxides is reduced as compared to native hGH.

For the development of a stable, dissolved preparation comprising hGH it is of importance to know the rate of formation of sulfoxides as well as means to control the oxidation.

The kinetics of degradation depend on temperature, pH and various additives or adjuvants in the hGH formulation.

Due to the instability, growth hormone is, at present, lyophilized and stored in the lyophilized form at 4°C until it is reconstituted for use in order to minimize the degradation.

The lyophilized pharmaceutical preparations comprising hGH are, at present, reconstituted by the patient and then stored as a solution during the use for a period of up to 14 days at 4°C, during which some degradation will take place.

Furthermore, the process of reconstitution of the lyophilized growth hormone tends to provide difficulties for the patient.

Thus, it is at present preferred to reconstitute the growth hormone as late as possible before use and to store and ship the preparation in a lyophilized state. The chain from the manufacturer to the pharmacy is apt for handling the preparations at a controlled low temperature of e.g. 4°C which allows for a long shelf life of up to two years.

However, the extended use of pen systems for self-medication and the expanded field of use calls for a preparation which is stable for a sufficient long time with the end user under

conditions where "sufficient" cooling is not always available.

Preferably, a preparation should be stable with the end user in a lyophilized state for about one month and additionally for one month in a reconstituted state in a pen device for the intended period of use of a cartridge.

Thus, there is a need for more stable preparations of growth hormone being stable in a lyophilized state at a relative high temperature for a period and additionally for a period of use at a relatively high temperature in solution. Such stabilization is of very great importance when moving the administration of the growth hormone from clinics to the homes of the individuals to be treated where optimal storage may not be available as indicated above.

Furthermore, the shift in pattern of administration of growth hormone to the use of pen devices calls for a stable dissolved preparation comprising growth hormone in order to facilitate the handling to be performed by the patient. A stable dissolved preparation comprising growth hormone may be produced ready to use in the form of cartridges fitting into the pen device used by the patient who may then avoid the reconstitution of the preparation and, hence, will not have to be in the possession of a lyophilized preparation, a suitable vehicle for reconstitution as well as the necessary skill and sterile equipment for sterile reconstitution of the preparation.

For safety reasons it will also be desirable to avoid the reconstitution of a lyophilized preparation just before the use of the preparation.

Furthermore, it would also be an advantage to avoid the lyophilization step in the production of growth hormone preparations. Lyophilization is a time consuming and costly process

and is also often a "bottleneck" in the production due to the limited capacity of the freeze drier.

Thus, there is a need to reduce the rate of the degradation processes in order to allow for dissolved hGH preparations being stable during shelf life and during the period of use of up to one month.

Prior attempts to stabilize hGH has not fully succeeded in preventing the formation of dimer. The problems associated with dimer formation is e.g noted in Becker, G.W., Biotechnology and Applied Biochemistry 9, 478 (1987).

International Patent Publication No. WO 89/09614 and Australian patent application No. 30771/89 disclose a stable pharmaceutical formulation containing human growth hormone, glycine, and mannitol. Such a preparation shows improved stability during normal processing and storage in a lyophilized state as well as in the period of use after the reconstitution.

Published European patent application No. 303 746 discloses that animal growth hormone may be stabilized with various stabilizers to give decreased formation of insolubles and preservation of the soluble activity in aqueous environments, such stabilizers including certain polyols, amino acids, polymers of amino acids having a charged side group at physiological pH, and choline salts. Polyols are selected from the group consisting of non-reducing sugars, sugar alcohols, sugar acids, pentaerythritol, lactose, water-soluble dextrans and Ficoll; amino acids are selected from the group consisting of glycine, sarcosine, lysine or salts thereof, serine, arginine or salts thereof, betaine, N,N,-dimethyl-glycine, aspartic acid or salts thereof, glutamic acid or salts thereof; a polymer of an amino acid having a charged side group at physiological pH may be selected from polylysine, polyaspartic acid, polyglutamic acid, polyarginine, polyhistidine, polyor-

nithine and salts thereof; and choline derivatives are selected from the group consisting of choline chloride, choline dihydrogen citrate, choline bitartrate, choline bicarbonate, tricholine citrate, choline ascorbate, choline borate, choline gluconate, choline phosphate, di(choline)sulphate and di-choline mucate.

BRIEF DESCRIPTION OF THE INVENTION

It has now surprisingly been found that a preparation of human growth hormone comprising asparagin as additive or buffering substance shows a very high stability against deamidation, oxidation and cleavage of peptide bonds. The stability of the product allows for the storing and shipment thereof in a lyophilized state or in the form of a dissolved or re-dissolved preparation.

Thus, the preparation of the invention may be in the form of a lyophilized powder to be reconstituted later using conventional vehicles such as distilled water or water for injection or in the form of a solution comprising growth hormone. Such vehicles may comprise conventional preservatives such as m-cresol and benzyl alcohol.

A preferred embodiment of the invention is in the form of a pharmaceutical preparation of human growth hormone comprising asparagine in the form of a buffered aqueous solution of growth hormone buffered with asparagine buffer. Such preparation is in a ready-to-use form and may be stored and shipped as an aqueous solution without any considerable degradation.

For stability reasons the pH of a solution is preferably adjusted to a value in the interval from 2-8. Preparations having a pH from 5 to 8 are more preferred and most preferred are preparations having a pH from 6 to 7.5.

In order to obtain the stabilizing effect asparagine is preferably added in an amount of up to 100 mM. The concentration of asparagine is preferably on the interval from 2 to 20 mM, most preferred from 2 to 10 mM

- 5 The pharmaceutical preparation of the invention may also be in the form of a lyophilized preparation.

The pharmaceutical preparation of the invention may furthermore comprise salts and saccharides in order to facilitate the processing thereof, e.g. lyophilization. Conventionally
10 mannitol is used as a bulking agent for lyophilization.

Still another aspect of the invention relates to the use of asparagine for the preparation of a stabilized preparation of growth hormone.

In the present context "growth hormone" may be growth hormone
15 from any origin such as avian, bovine, equine, human, ovine, porcine, salmon, trout or tuna growth hormone, preferably bovine, human or porcine growth hormone, human growth hormone being most preferred. The growth hormone used in accordance with the invention may be native growth hormone isolated from
20 a natural source, e.g. by extracting pituitary glands in a conventional manner, or a growth hormone produced by recombinant techniques, e.g. as described in E.B. Jensen and S. Carlsen in biotech and Bioeng. 36, 1-11 (1990). The "growth hormone" may also be a truncated form of growth hormone
25 wherein one or more amino acid residues has (have) been deleted; an analogue thereof wherein one or more amino acid residues in the native molecule has (have) been substituted by another amino acid residue, preferably a natural amino acid residue, as long as the substitution does not have any
30 adverse effect such as antigenicity or reduced action; or a derivative thereof, e.g. having an N- or C-terminal extension such as Met-hGH, Met-Glu-Ala-Glu-hGH or Ala-Glu-hGH. The preferred growth hormone is hGH.

In the present context "high stability" is obtained when the preparation is more stable than the conventional formulation comprising phosphate buffer.

The term "salts" used in this specification to designate additional constituents of a pharmaceutical preparation comprises conventional such salts such as alkaline metal, alkaline earth metal or ammonium salts of organic acids such as citric acid, tartaric acid, or acetic acid, e.g. sodium citrate, sodium tartrate or sodium acetate, or of mineral acids such as hydrochloric acid, e.g. sodium chloride.

"Saccharides" may be monosaccharides, disaccharides or sugar alcohols which are conventionally used for pharmaceutical preparations such as lactose and mannitol.

The solvent used in the preparations of the invention may be water, alcohols such as ethyl, n-propyl or isopropyl, butyl alcohol or mixtures thereof. The solvent may comprise a preservative such as m-cresol or benzyl alcohol.

DETAILED DESCRIPTION OF THE INVENTION

The invention is explained more in detail in the below Examples which illustrate the invention. They are not to be considered as limiting the scope of the invention being defined by the appended claims.

EXPERIMENTAL PART

EXAMPLE

Reduction of the deamidation.

The rate of deamidation was examined at 25°C for hGH preparations comprising 6 IU hGH at pH 6.5 in the presence of 10 mM Asn as compared to 8 mM phosphate buffer at the same pH and pH 7.3.

- 5 The hGH preparations were prepared by dissolving 20 mg hGH in 10 ml of 10 mM asparagine solution prepared by dissolving 13.2 mg, of asparagine in 10 ml deionized water containing 0.9% (v/v) of benzyl alcohol and adding 0.1 N hydrochloric acid to the stated pH.
- 10 The hGH formulations stated in the below Table were stored at 25°C and analyzed for the desamido contents after 14 and 30 days by IE-HPLC. The results appear from the below Table.

Table.

Contents of desamido hGH as determined by IE-HPLC as a function of the formulation and the time in solution at 25°C:

5	Formulation (*)	Formation of desamido compound at 25°C	
		14 days (')	30 days
	8 mM di-Na-Phosfat pH 6.5	7.8	10.8
10	8 mM di-Na-Phosfat pH 7.3	15.2	20.3
	8 mM di-Na-phosfat pH 6.5, 0.3% m-cresol	9.4	13.2
15	10 mM Asp, pH 6.5	21.7	nd
	10 mM Asn, pH 6.5	6.5	8.3
	10 mM Glu, pH 6.5	14.8	nd

*: Comprises 0.9% benzyl alcohol except formulation # 3.
The contents of desamido-hGH in starting material was: 2.1 %

20 From the above Table it appears that the de-amidation of hGH is reduced by approximately 25% by the addition of asparagine as compared with phosphate buffer at pH 6.5.

Addition of Asp or Glu increases the rate of deamidation as compare to phosphate at pH 6.5.

25 The above results show that the rate of de-amidation is reduced by lowering the pH and by adding asparagine in a low con-

centration of up to 100 mM, preferably about 5mM. The rate of de-amidation may be reduced by more than 50% by lowering the pH and substituting the phosphate buffer with asparagine.

The use of m-cresol or benzyl alcohol as preservative seems to have no influence on the rate of de-amidation.

Split-formation (hydrolysis of peptide bonds) is reduced by asparagine at pH 6.5 in comparison with phosphate.

REFERENCES

- 1) Y.-C.J. Wang and M.A. Hanson. Parenteral Formulations
10 of Proteins and Peptides: Stability and Stabilizers.
J. Parenteral Science and Technology 42 (Suppl.)
(1988) 53-525.
- 2) M.C. Manning, K. Patel, R.T. Borchardt. Stability of
Protein Pharmaceuticals. Pharmaceutical Research 6
15 (11) (1989) 903-918.
- 3) B.A. Johnson, J.M. Shirokawa, W.S. Hancock, M.W.
Spellman, L.J. Basa and D.W. Asward. J.Biol.Chem. 264,
1462-71 (1989).
- 4) L.C. Teh et al., J.Biol.Chem., 262, 785-794 (1987).
- 20 5) G.W. Becker et al., Biotech.Appl.Biochem., 10, 326-337
(1988).
- 6) R.A. Houghten et al., Arch.Biochem.Biophys., 178, 350-
355 (1977).
- 7) R.M. Riggin et al., Anal.Biochem., 167, 199-209
25 (1987).

- 8). P. Gellerfors et al., Acta Paediatr.Scand (suppl),
370, 93-100 (1990).
- 9) M.J. Kaufman, Pharm.Res., 7 (3) 289-292 (1990).

CLAIMS

1. A pharmaceutical preparation comprising a growth hormone and asparagine.
2. A pharmaceutical preparation as claimed in claim 1 in the form of a buffered aqueous solution of growth hormone containing asparagine.
3. A pharmaceutical preparation as claimed in claim 1 or 2 wherein the pH is adjusted to a value in the interval 2-8.
4. A pharmaceutical preparation as claimed in claim any of the preceeding claims wherein the concentration of asparagine is up to 100 mM.
5. A pharmaceutical preparation as claimed in claim any of the preceeding claims further comprising salts and saccharides.
- 15 6. A pharmaceutical preparation as claimed in any of claims 1-6 wherein the growth hormone is hGH.
7. Use of asparagine for the preparation of a stabilized preparation of growth hormone.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/DK 92/00378

A. CLASSIFICATION OF SUBJECT MATTER

IPC5: A61K 37/36

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC5: A61K, C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

MEDLINE, WPI, BIOSIS, CLAIMS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP, A2, 0374120 (MONSANTO COMPANY), 20 June 1990 (20.06.90), whole document, especially claim 16 --	1-7
X	US, A, 4816568 (HAMILTON, JR. ET AL), 28 March 1989 (28.03.89), column 2, line 67 - column 3, line 16; column 4, line 36 - line 44, claims 17,27 --	1-7
X	US, A, 4917685 (VISWANATHAN ET AL), 17 April 1990 (17.04.90) -----	1-7

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

Date of mailing of the international search report

7 April 1993

13 -04- 1993

Name and mailing address of the ISA/
Swedish Patent Office
Box 5055, S-102 42 STOCKHOLM
Facsimile No. +46 8 666 02 86

Authorized officer

Jonny Brun
Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT
Information on patent family members

26/02/93

International application No.

PCT/DK 92/00378

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A2- 0374120	20/06/90	AU-A- 4617689 CA-A- 2005226 JP-A- 2204418	21/06/90 13/06/90 14/08/90
US-A- 4816568	28/03/89	NONE	
US-A- 4917685	17/04/90	NONE	